


ProAction Thrust™ LP Floor System

SYSTEM TYPE: FLOATING RESILIENT



Two Layers Plywood Subfloor One Layer Each 15/32" (12 mm) + 3/8" (11 mm)

ProAction 5/8"(16 mm) Natural Rubber Pads

MFMA NORTHERN HARD MAPLE

BY ACTION:

Random Length (RL) Action Long Length (FJ)

TESTING AGENCY:

Certified by ISSS

PERFORMANCE MEETS OR EXCEEDS:

EN 14904 Type 4 FIBA Level I

SLAB DEPRESSION:

25/32" (20 mm): 2-1/4" (64 mm) 33/32" (26 mm): 2-1/2" (70 mm)

LEED:

FSC Maple & Subfloor available, MR credits — based on products, selected materials and facility locations

PERFORMANCE & SYSTEM STABILITY:

- Variable load response ProAction pads
- Excellent ball bounce
- SCORES Compliant
- Stable double layer plywood subfloor system
- Excellent shock absorption
































- Action ProAction Thrust LP utilizes the proven double layer plywood continuous subfloor that delivers excellent playability with excellent system integrity and stability.
- Action ProAction Thrust LP offers performance with a lower system profile than is available in similar design configurations making it a good selection in renovation applications.
- The manufacturer and flooring shall be independently verified by the guidelines of the ISO 14040-2006 and ISO 14044: 2006 Life Cycle Assessment (LSA) confirming a negative carbon footprint.
- Carbon Evaluation must be inclusive and based on all corporate facilities, offices and mills.
- The manufacturer and flooring shall be independently verified by the guidelines of the ISO 14064-1:2006 World Resource Institutes Greenhouse Gas Protocol, Scope 1, 2 and 3.
- The manufacturer and flooring shall be registered in the Collaborative for High Performance Schools (CHPS) Product Database.

Complete product specifications and system drawings (CAD and BIM) are available online at:



Action ProAction Thrust LP



ACTION FLOOR SYSTEMS LLC 4781 N. U.S. Hwy. 51 • Mercer, WI 54547-9708 U.S.A.

PHONE: 800.746.3512 or 715.476.3512 • FAX: 715.476.3585

E-MAIL: info@actionfloors.com

www.actionfloors.com

